

Technical specification for:

## 150kW Condensing Boiler

Small footprint, 150kW Condensing Boiler, capable of supplying heating and domestic water. This frame mounted package is perfect for sites with limited space and delivers industry leading efficiency.



### Performance Data

Output	150 kW
Temperature Range	30-87 °C
Variable Temperature Control	Yes
Max Working Pressure (Safety Valve)	6 Bar
Time Clock	Yes
Frost Protection	No
Flow	m <sup>3</sup> /hr
Expansion Vessel	Optional

### Fuel

Fuel Type	Natural Gas
Fuel Connection (Gas)	2"
Fuel Consumption (Gas)	<13.49 m <sup>3</sup> /hr
Temp. Gas Pipe Size	As Needed
Gas Trac Maximum Length	100 Mtrs

### System Connections

Flexible Hose Connections	Flow/Return
Flexible Hose Connection Type	PN16 Flange
Water Connections	2"
DHW System	External

### Electrical

Power Supply	240V / 3 / 50 (V / Ø / Hz)
Plug Type	16A 3 Pin BS4343
Running Current	

### Physical

Noise Level	46 dBA @ 10 mtrs
Handling Options	Pallet Truck / ForkTruck / Hiab With Straps
Dry Weight	348 Kg
Dimensions (Length)	810 mm
Dimensions (Width)	710 mm
Dimensions (Height)	1900 mm
Height of Flue Above Ground	760 mm